



'RD' - Duplicate detection is not supported for File 349.



'RD' - Records from unsupported files will be retained in the RD set.

Search History

Database Details

Set	Term Searched	Items	
S1	PSAA(30N)(MAP OR MULTIPLE(W)ANTIGEN?(W)PEPTIDE? OR LYSY?(W)BRANCH?(W)PEPTID?)	51	Display
S2	RD (unique items)	22	Display

Format

Free



Number of
Records

10

Show Database Details for:

2: INSPEC (1969-present)



[Blue-sheet](#)

[Rates](#)

[Fields](#)

[Formats](#)

[Sorts](#)

[Limits](#)

[Tags](#)

© 2004 Dialog, a Thomson business

Processing your request...

Dialog Index Results

Your select statement is 'S PSAA(30N)(MAP OR
MULTIPLE(W)ANTIGEN?(W)PEPTIDE? OR LYSY?(W)BRANCH?(W)PEPTID?)' in
databases ALLMEDPH.

☒ Select All
 ☒ Clear Selections

<u>File</u>	<u>Database Name</u>	<u>Hits</u>
<input type="checkbox"/> 2:	<u>INSPEC (1969-present)</u>	1
<input type="checkbox"/> 5:	<u>BIOSIS Previews® (1969-present)</u>	10
<input type="checkbox"/> 34:	<u>SciSearch® - a Cited Reference Science Database - 1990-</u>	6
<input type="checkbox"/> 50:	<u>CAB ABSTRACTS</u>	2
<input type="checkbox"/> 71:	<u>Elsevier Biobase</u>	4
<input type="checkbox"/> 73:	<u>EMBASE® (1974-present)</u>	4
<input type="checkbox"/> 88:	<u>Gale Group Business A.R.T.S. (SM)</u>	1
<input type="checkbox"/> 98:	<u>General Science Abstracts/Fulltext</u>	2
<input type="checkbox"/> 99:	<u>Wilson Applied Science & Technology Abstracts</u>	1
<input type="checkbox"/> 144:	<u>PASCAL</u>	3
<input type="checkbox"/> 155:	<u>MEDLINE® (1966-present)</u>	5
<hr/>		
<input type="checkbox"/> 349:	<u>WIPO/PCT Patents Fulltext</u>	1
<input type="checkbox"/> 351:	<u>Derwent World Patents Index®</u>	1
<input type="checkbox"/> 357:	<u>Derwent Biotechnology Resource</u>	1
<input type="checkbox"/> 399:	<u>CA SEARCH® - Chemical Abstracts® (1967-present)</u>	3
<input type="checkbox"/> 440:	<u>Current Contents Search®</u>	7

There are 16 databases matching your statement 'S PSAA(30N)(MAP OR
MULTIPLE(W)ANTIGEN?(W)PEPTIDE? OR LYSY?(W)BRANCH?(W)PEPTID?)'.